

AIR[®]
MACHINE
PRO

HIGH-TECH AND BEST QUALITY

#AIR. SHAPE. WOW.

ORIGINAL PNEUMATIC
SQUARE TENT PRO SERIES

100% MADE IN EUROPE

AUTHORIZED DISTRIBUTOR



**DIE WERBE
ARCHITEKTEN**
dieWerbearchitekten.com

V1/2026/ENG/STUDIO55



AIR MACHINE®
professional

The original pneumatic **Square Tent** in the **PRO Series** version offers top-tier quality and premium accessories, allowing you to use the tent even in the most demanding conditions.

Its lightweight design, carefully selected high-grade materials, and precisely engineered structure make the premium Square Tent a **unique** and **optimal** choice for your event or brand showcase.

The tent has been designed and manufactured entirely in Europe, ensuring full serviceability and allowing you to rely on fast and efficient maintenance whenever needed.

If you want to achieve more with your brand — **choose the original AirMachine® tents**, the best on the market.

AirMachine® products are continuously improved; therefore, some details or technical specifications shown in this brochure may be subject to change. If certain elements are important to you, please specify them when submitting your enquiry.



PRO SERIES

ENGINEERED FOR RELIABILITY



CENTRAL LOCKING RAIL WITH THE
NEW ONE PUMP SYSTEM FLOWBOOSTER

NEW!



SEALED ROOF STITCHES
WATER RESISTANT



SELECTED
HIGH-QUALITY FABRICS




DOUBLE ROOF ZIPPER
FLEXIBLE WALL MOUNTING



ROOF AND WALL COVERING
FLAME-RETARDANT – EN 13501-1-B1


EN 13501-1-B1




INNOVATIVE LEG CONSTRUCTION

FOR AIRMACHINE® SQUARE TENTS **PRO** SERIES

ZIG ZAG REINFORCED STITCHING & TECHNICAL TEXTILES
combining stability, durability, and aesthetic design




DOUBLE-LAYER AIRFRAME CHAMBER STRUCTURE COVERING
with high quality TPU bladder inside



OVERPRESSURE VALVE SYSTEM
safety and Structural Protection



REINFORCED BASES
replaceable feet protector pads




THE NEW ONE PUMP SYSTEM FLOWBOOSTER

IN THE AIRMACHINE® SQUARE TENTS **PRO** SERIES ONLY

The new internal OnePumpSystem FlowBooster is engineered to deliver exceptional reliability and efficiency.

Seamlessly integrated within the tent's structure, it is protected from external mechanical damage, ensuring long-lasting, maintenance-free performance.

With enlarged airflow channels, the system enables significantly faster inflation compared with designs that rely on narrow external air tubes - getting your tent ready for use in a fraction of the time.



Airflow direction in the FlowBooster system.



HOW IT WORKS

Simply inflate one leg, and the air will be evenly distributed to all other structural elements.



Single inflation point for the entire structure.

SQUARE TENT PRO SERIES

WIDE RANGE OF SIZES

AirMachine® Square Tents PRO SERIES are available in a wide range of sizes, from 3×3 m to 7×7 m. Each model is designed to meet the highest standards of quality and functionality. Regardless of the chosen size, the structure provides excellent stability, weather resistance, and long-lasting material durability.

DIMENSIONS



	3x3	4x4	5x5	6x6	7x7
H - TOTAL HEIGHT	2.38m	2.75m	3.35m	4.05m	4.50m
h - ENTRANCE HEIGHT	1.90m	2.10m	2.40m	2.90m	3.27m
W - TOTAL WIDTH	3.00m	3.95m	4.95m	5.90m	6.90m
WEIGHT*	12kg	15kg	23kg	31kg	39,5kg


The dimensions provided in the table are approximate and may vary depending on the internal air pressure, leg positioning, added sidewalls, and accessories used.

*weight refers to the PRO Series tent structure only, without sidewalls, bag, or accessories.

Example: a 4×4 m tent with four single-sided sublimation-printed FULL walls, a carrying bag, and a ground anchoring kit weighs approx. 29 kg.

BASIC COMPONENTS

OF AIRMACHINE® SQUARE TENT PRO SERIES



Square tent PRO basic version



Square tent PRO + Visor bow + Visor banner



Square tent PRO + Visor bow + Visor banner + Panorama window wall + full wall




Square tent PRO + Panorama window wall + full wall

WALLS AND MODULAR CONNECTION OPTIONS


AIRMACHINE® SQUARE TENTS **PRO** SERIES



IMPORTANTLY, IN THE SQUARE TENT PRO SERIES, ALL WALLS ARE REVERSIBLE, ALLOWING THE TENT TO FUNCTION AS AN INVITING TRADE-SHOW BOOTH.




FW - FULL WALL




WW - WINDOW WALL




PWW - PANORAMA WINDOW WALL




DOUBLE-SIDED WALL PRINTING (OPTIONAL)



REW - ROLL-UP ENTRANCE WALL




MSEW - MIDDLE-SPLIT ENTRANCE WALL



MPW - MESH PANORAMA WALL



Square Tent with no roof banner fitted.



Square Tent with Roof Banner fitted.

ROOF BANNER*

Optional element (for Square Pro 6x6 and 7x7 tents only) that lowers the wall mounting point and extends roof coverage for better interior protection.

*When using the Roof Banner, walls should be ordered in a reduced height version.




MESH PANORAMA WALL

Ideal for outdoor use, especially in warm weather. The mesh fabric provides ventilation inside the tent, improving comfort for users. Available only in a non-flame-retardant version (without B1 certification).



VISOR BOW & VISOR BANNER

Additional inflatable arch connected to the main structure, expanding the covered space and improving the front area layout. Optionally, the Visor Bow can be complemented with an interchangeable Visor Banner, providing high logo visibility and an eye-catching front display.




GROUNDSEAL WALL EXTENSION

An optional wall variant featuring an extended lower section that improves sealing and protects the interior from wind, dust, and moisture. The reinforced bottom edge enhances durability, helps keep the interior clean, and provides a neat, robust finish. This finishing solution is also fully compatible with the Wall Ballast system.

CONNECTING TUNNEL

AIRMACHINE® SQUARE TENTS PRO SERIES

The **connecting tunnel** allows you to join tents of the **same or different sizes**, creating a larger, continuous covered area. This **flexible solution** lets you expand the **usable space** as needed – for example, two 4×4 m tents connected with a tunnel provide approximately 38 m² of covered area, comparable to a 6×6 m tent.



POSSIBLE COMBINATIONS

OF SQUARE TENTS PRO USING
CONNECTING TUNNELS



ORIGINAL ACCESSORIES

FOR AIRMACHINE® SQUARE TENTS **PRO** SERIES

Use only original **AirMachine®** accessories – designed and precisely matched to the **Square Tents **PRO** SERIES** . Each component has been thoroughly tested to ensure **maximum safety, durability, and reliability**.

Using genuine parts and servicing them according to the manufacturer's recommendations ensures full functionality of the tent and maintains the validity of the warranty.*



** All detailed specifications of the accessories are described in the user manual. Always use AirMachine® tents and accessories only after carefully reading the manual and following the manufacturer's safety and assembly instructions.*

SUPPORT

WARRANTY AND SERVICE



SUPPORT



SERVICE



24 MONTH WARRANTY



EXPERIENCE YOU CAN TRUST

QUALITY YOU CAN SEE

With over **25 years** of experience creating inflatables, including 15 years making airtight, valve-based figures under the **AirMachine®** brand, we understand what it takes to deliver products that last. Our inflatables feature at **events worldwide** – from local events to global exhibitions and trade shows.

Every **AirMachine® Square Tents **PRO** SERIES** reflects our philosophy: uncompromising quality, innovative design, and flawless functionality. **Lightweight yet durable, quick to set up yet highly reliable** – it is more than a tent, it's a **powerful** branding platform.

Choosing **AirMachine®** means partnering with a company that combines **long-standing know-how with constant innovation**. We don't just manufacture tents – we create tools that let **your brand shine**, no matter where you are.

ORIGINAL PUMPS

FOR AIRMACHINE® SQUARE TENTS **PRO** SERIES



Choose from a range of available **AirMachine® pumps** – including manual, electric (with different power and performance levels), and battery-powered models.

Contact our specialist to select the pump set perfectly matched to your **specific needs** and products you wish to order.

BAGS

FOR AIRMACHINE® SQUARE TENTS **PRO** SERIES

All AirMachine® Square Tents **PRO** Series sets are delivered in a durable, reinforced carry bag that provides excellent protection during transport and reflects the professional quality of the product from the very first moment of use.



PRO BASIC BAG

The standard transport bag for **AirMachine® Square Tents PRO SERIES** and accessories, designed for convenience and durability. Available in multiple sizes, with capacity tailored to each ordered set. Smaller sets fit neatly into a single bag, while larger sets can be divided into two or more, making transport, **carrying**, and **storage effortless**.

PRO BACKPACK

An optional transport bag with a **backpack function**, designed for convenient carrying of **AirMachine® Square Tents PRO SERIES** and accessories. The **PRO BACKPACK BAG** is recommended for tents up to a maximum size of 4×4 m. Ideal when tents or sets need to be carried over longer distances, **providing greater comfort** and **mobility during transport**.

TRANSPORT TROLLEY PRO

Trolley designed for transporting original **AirMachine® Square Tents PRO SERIES** bags with tents and accessories. Equipped with a fastening system that ensures **stable load securing and allows** for convenient and **safe movement** of the sets during transport.



Bean ballast connected together on one side for increased stability of the Square Tent PRO.



Bean Ballast mounted on both sides of the leg in the Square Tent PRO.

BALLASTS

ORIGINAL ACCESORIES & SPARE PARTS

FOR AIRMACHINE® SQUARE TENTS **PRO** SERIES

Ensure maximum stability and safety for your **AirMachine® Square Tents **PRO** SERIES** with a range of original ballasts and weight solutions – designed for different surfaces and weather conditions.



 (water)

BARREL BALLAST XL
(APPROX. 74 LITERS)

A weight designed to be **filled with liquid**, made from durable, impact-resistant material. Serves as a heavy side ballast to securely anchor tent legs, performing exceptionally well with **larger structures and in strong wind conditions**.



 (sand)

BEAN BALLAST
(APPROX. 28 KG)

A basic tent weight that is **easy to handle and transport**. Multiple units can be combined to **increase stability** and adapt to various weather conditions. Optionally available with a waterproof inner liner, allowing it to be used as a water ballast.



 (water)  (sand)

BEAN BALLAST
SAND OR WATER
(APPROX. 28 KG / 20 LITERS)

Each ballast comes with a waterproof inner liner, so you can fill it with sand or water as needed. Simple to use and adaptable to any environment, it provides solid stability and keeps your tent secure in all weather conditions.



 (sand)

WALL BALLAST
(APPROX. 16 KG)*

A practical wall-stabilising weight that improves tent stability in windy conditions, especially for larger tents with wider leg spacing. A waterproof inner liner is available for purchase, allowing it to be used as a water ballast.



 (water)  (sand)

WATER OR SAND WALL BALLAST
(APPROX. 16 KG / 12 LITRES)

This version is supplied with a waterproof inner liner, allowing the ballast to be filled with either water or sand, depending on weather conditions and stability needs. Multiple units can be combined to increase overall anchoring strength and adapt to varying outdoor conditions.

**Using either of these ballasts is recommended with the optional GroundSeal Wall Extension, which comes with reinforced PVC and extra ballast mounting holes. If the GroundSeal Wall Extension is not ordered, please specify the required mounting holes in your order.*

LIGHT IN AIR


AIR MACHINE® SQUARE TENTS PRO SERIES LIGHTING

The **RGB+W lighting system** mounted inside the tent legs provides uniform illumination throughout the entire structure, creating an eye-catching glow visible from a long distance. The system allows you to change colours, adjust brightness, and choose from multiple pre-set synchronised lighting programmes, all conveniently controlled with a remote. This makes it easy to match the lighting effects to the character of the event or the brand's visual identity.

The set is designed for easy connection to a standard 230 V power supply, and optional AirMachine batteries allow operation without the need for a permanent power source.



LED RGB+W LIGHT 230 V
with Colour Change
and Dimming Function.



POWERBANK BY AIRMACHINE®

BATTERY-POWERED SUPPLY FOR CEILING AND RGB+W LIGHTING

OPERATING TIMES FOR THE LIGHTING SYSTEMS USING THE THREE AVAILABLE POWERBANK SIZES*



		S PowerBank	M PowerBank	XL PowerBank
		(296Wh / 300W / 3 kg)	(640Wh / 600W / 9 kg)	(1408Wh / 1500W / 17,5 kg)
RGB+W light 230V	for 3x3 square tent	up to 360 min	up to 720 min	up to 1770 min
RGB+W light 230V	for 4x4 square tent	up to 120 min	up to 240 min	up to 585 min
RGB+W light 230V	for 5x5 square tent	up to 150 min	up to 300 min	up to 765 min
RGB+W light 230V	for 6x6 square tent	up to 135 min	up to 270 min	up to 685min
RGB+W light 230V	for 7x7 square tent	up to 90 min	up to 180 min	up to 490 min
CEILING LIGHT 230V	Ceiling light 230V Medium (50W -5 000 lm)*	up to 75 min	up to 150 min	up to 400 min
CEILING LIGHT 230V	Ceiling light 230V Strong (150W -15 000 lm) **	up to 65 min	up to 125 min	up to 315 min

*recommended for 3x3 & 4x4 Square tents.

** recommended for 5x5, 6x6, 7x7 Square tents.

The lighting runtimes were estimated using new, non-degraded batteries operating at a temperatures between 16–25°C. Use in other conditions may affect these values.



CEILING LED LIGHT 230V FOR AIRMACHINE® SQUARE TENTS PRO SERIES

A ceiling LED lighting system that is easy to use and install, designed for **AirMachine® Square Tents PRO SERIES**. It is compatible with a standard 230 V power supply and can optionally be operated using our PowerBank options. A version with remote-controlled dimming is also available.



Ceiling LED Light 230 V set
with packaging



Remote control for lighting
(on/off and dimming functions)



Easy ceiling lighting
installation



PowerBank by AirMachine®
used to power ceiling lighting
and RGB+W illumination.

FLOORS

FOR AIRMACHINE® SQUARE TENT PRO SERIES

Choose the type of flooring that best suits your needs. Each floor set is precisely designed and tailored to match the **specific size** of your **AirMachine® Square Tents PRO SERIES**. Using a **dedicated floor** helps create a **unique atmosphere** inside the tent, **enhances comfort**, and – thanks to branding options – provides additional **promotional surface**.



CLEVER PRINT FLOOR (APPROX 1kg/m2)


Flooring with the option of full-surface printing in any pattern or colour scheme – ideal for customising event spaces. The micro-textured surface increases abrasion resistance, while the special finish provides anti-slip properties. Primarily recommended for indoor use on flat, solid surfaces, but it can also be used outdoors with proper ground preparation. Supplied in rolls for easy installation and seamless coverage of individual panels.”

ANTI SLIP FLOORING (APPROX 0.9 kg/m2)

Flooring made of flexible, anti-slip material, featuring a strap system for secure attachment to the tent structure. Enhances the overall appearance of the setup, improves cleanliness, and increases user comfort. Supplied in a practical carrying bag and recommended for both indoor and outdoor use.

INTERLOCKING FLOOR TILES (PVC) (APPROX 3,5 kg/ m2)

A cost-effective set of interlocking PVC floor tiles, designed to enhance both the appearance and comfort of your tent setup. They define the space beneath the tent and provide additional support on softer ground, while performing best on solid, hardened surfaces. Made from recycled PVC, they offer an eco-friendly flooring solution.



ORIGINAL ACCESSORIES & SPARE PARTS

FOR AIRMACHINE® SQUARE TENTS **PRO** SERIES

Use only original AirMachine® accessories – designed and precisely matched to the **Square Tents PRO SERIES**.

Each component has been thoroughly tested to ensure maximum safety, durability, and reliability.

Using genuine parts and servicing them according to the manufacturer's recommendations ensures full functionality of the tent and maintains the validity of the warranty.



**ANCHORING KIT FOR
SQUARE TENT 3×3 & 4×4**

A set of durable, galvanised pegs and anchors designed for mounting Square tents in sizes 3×3 m and 4×4 m. Packed in a sturdy, protective carrying case. The set includes 8 pegs (35 cm) and 4 anchors (40 cm). This kit is included as standard with Square Tent PRO models in sizes 3×3 and 4×4 m.



**ANCHORING KIT FOR
SQUARE TENT 5×5, 6×6 & 7×7**

A set of durable, galvanised pegs and anchors designed for mounting Square tents in sizes 5×5, 6×6 and 7×7 m. Packed in a sturdy, protective carrying case. The set includes 8 pegs (35 cm) and 8 anchors (40 cm). This kit is included as standard with Square Tent PRO models in sizes 5×5, 6×6 and 7×7 m.



PEG SET – 25 AND 35 cm

Set of spare 25 or 35 cm pegs, intended for securing Ground-Seal Wall Extension, protective tarps during setup, and various other applications. The set is available in packs of 10 or 20 pieces.



PEG SET – 35 cm

Set of spare 35 cm pegs, intended for securing Ground-Seal Wall Extension, protective tarps during setup, and various other applications. The set is available in packs of 10 or 20 pieces.



AIRMACHINE® SQUARE TENTS **PRO SERIES ARE PACKAGED
IN A PRESENTABLE AND DURABLE CARDBOARD BOX.**



ANCHOR SET HD– 40 cm

A set of reinforced spare anchors, 40 cm in length, designed for securing tents in more demanding conditions. The set includes 8 pieces.



**PROTECTIVE GROUND TARP
5×5 m**

A polyethylene tarp with eyelets around the edges, designed to help keep the setup area clean when assembling 3×3 m and 4×4 m tents. Mounting pegs are not included.



**PROTECTIVE GROUND TARP
8×8 m**

A polyethylene tarp with eyelets around the edges helps keep the setup area clean when assembling 5×5, 6×6 and 7×7 tents. Mounting pegs are not included.



TPU AIRTIGHT BLADDER

A replaceable airtight TPU insert designed for AirMachine® PRO Series tents. Supplied without valves. It ensures full air-tightness and reliability of the inflatable structure. Available for all AirMachine tent sizes in various equipment configurations.



REPAIR SET

A repair kit consisting of one Inflation/Deflation valve, one Over-Pressure valve, and a patch for self-sealing TPU inserts. This set is included as standard with all AirMachine Square PRO tents.



PRESSURE RELIEF VALVE

Pressure-relief valve for controlling excess air pressure in AirMachine tents.



INFLATION / DEFLATION VALVE

Replacement inflation/deflation valve for AirMachine® tents, allowing easy inflation and controlled release of air.



**DIE WERBE
ARCHITEKTEN**
dieWerbearchitekten.com

DWA Werbearchitekten GmbH

Address

Hauptstraße 9
4707 Schlüßlberg
Österreich

CONTACT

+43 (0)650 / 78 711 21
office@diewerbearchitekten.com

<https://www.facebook.com/DieWerbearchitekten/>
<https://www.xing.com/pages/dwa-werbearchitekten-gmbh>

<https://www.diewerbearchitekten.com//>